

[www.raisecom.com](http://www.raisecom.com)

## **Telnet Commands-3**



# CONTENTS



<b>Chapter 1</b>	<b>Telnet Commands</b>	<b>1</b>
1.1	telnet-server accept	1

## Chapter 1 Telnet Commands

### 1.1 telnet-server accept

#### [Function]

Set telnet ports on the switch.

#### [Command format]

**telnet-server accept port-list** (*all*/{1-"MAX\_PORT\_STR"})

#### [Parameter]

*all*: all ports.

*portlist*: port list.

#### [Default]

All ports can telnet

#### [Command Modes]

Global configuration mode

#### [Executing Command Instruction]

Use this command to set telnet ports on the switch.

#### [Explanation of command execution echo]

*Set successfully*

#### [Related commands]

Commands	Description
<b>telnet-server max-session</b> <i>max-session-num</i>	Set maximal telnet connection number on the switch.
<b>telnet-server close terminal-telnet</b> <i>terminal-number</i>	Disable telnet connects to the switch.
<b>telnet</b> <i>ip-address</i> [ <b>port</b> <i>port-number</i> ]	Telnet to other switch or PC.
<b>show telnet-server</b>	Show telnet server configuration.



**北京瑞斯康达科技发展有限公司**  
**RAISECOM TECHNOLOGY CO.,LTD.**

Address: 2<sup>nd</sup> Floor, South Building of Rainbow Plaza, No.11 Shangdi Information Road,  
Haidian District, Beijing Postcode: 100085 Tel: +86-10-82883305 Fax: +86-10-82883056  
Email: [export@raisecom.com](mailto:export@raisecom.com) <http://www.raisecom.com>