

[www.raisecom.com](http://www.raisecom.com)

## **VLAN Configuration Commands-3**

# CONTENTS



Chapter 1	VLAN Configuration Commands	1
1.1	switchport protect	1

## Chapter 1 VLAN Configuration Commands

### 1.1 switchport protect

#### [Function]

Set the port to be protect port, **no** command to cancel port protection.

#### [Command Format]

**switchport protect** [*schedule-list list-no*]

**no switchport protect** [*schedule-list list-no*]

#### [Parameter]

*protect*: protect port;

*schedule-list*: set the starting time, ending time, and time interval of the schedule;

*list-no*: schedule list range is <0-99>.

#### [Default]

Port is not the protect port.

#### [Command Modes]

Ethernet physical interface/port range configuration mode; privileged user.

#### [Executing Command Instruction]

Only the privileged user with priority 15 can use this command.

#### [Explanation of command execution echo]

*port X unsuccessfully !*

*Set successfully*

#### [Example]

Set port 5 to protect port:

Raisecom(config-port)# **switchport protect**

Delete port protection for port 5:

Raisecom(config-port)# **no switchport protect**

#### [Related commands]

Commands	Description
<b>show interface port protected</b>	Show port protection setting of physical port.



**北京瑞斯康达科技发展有限公司**  
**RAISECOM TECHNOLOGY CO.,LTD.**

Address: 2<sup>nd</sup> Floor, South Building of Rainbow Plaza, No.11 Shangdi Information Road,  
Haidian District, Beijing Postcode: 100085 Tel: +86-10-82883305 Fax: +86-10-82883056  
Email: [export@raisecom.com](mailto:export@raisecom.com) <http://www.raisecom.com>