

www.raisecom.com

Telnet Commands-3



CONTENTS



Chapter 1	Telnet Commands	1
1.1	telnet-server accept	1

Chapter 1 Telnet Commands

1.1 telnet-server accept

[Function]

Set telnet ports on the switch.

[Command format]

telnet-server accept port-list (*all*/{1-"MAX_PORT_STR"})

[Parameter]

all: all ports.

portlist: port list.

[Default]

All ports can telnet

[Command Modes]

Global configuration mode

[Executing Command Instruction]

Use this command to set telnet ports on the switch.

[Explanation of command execution echo]

Set successfully

[Related commands]

Commands	Description
telnet-server max-session <i>max-session-num</i>	Set maximal telnet connection number on the switch.
telnet-server close terminal-telnet <i>terminal-number</i>	Disable telnet connects to the switch.
telnet <i>ip-address</i> [port <i>port-number</i>]	Telnet to other switch or PC.
show telnet-server	Show telnet server configuration.



北京瑞斯康达科技发展有限公司
RAISECOM TECHNOLOGY CO.,LTD.

Address: 2nd Floor, South Building of Rainbow Plaza, No.11 Shangdi Information Road,
Haidian District, Beijing Postcode: 100085 Tel: +86-10-82883305 Fax: +86-10-82883056
Email: export@raisecom.com <http://www.raisecom.com>